

CHAUDHARY DEVI LAL UNIVERSITY

(Established by the State Legislature Act 9 of 2003)

BARNALA ROAD, SIRSA-125055

Telephone No. 01666-239822, Email: genbr@cdlu.ac.in

QUOTATION NOTICE

Sealed quotations are invited from the manufactures/exclusive distributors/ authorized dealers/ suppliers/stationers for the items detailed below:

Sr. No.	Name of the Items	Quantity Required	Rate	Total Cost
1.	24-inch iMac with Apple M1 Chip:	01		
	 Processor: Apple M1 chip with 8-core CPU., 4 performance cores and 4 efficiency cores for balanced performance and power efficiency. Graphics: 8-core GPU for excellent graphics performance. Neural Engine: 16-core Neural Engine for AI and machine learning tasks. 			
	4. Memory: 8GB unified memory for smooth multitasking and application performance.			
	5. Storage: 1TB SSD storage for fast data access and ample storage space.			
	6. Display: 24-inch 4.5K Retina display for vibrant and detailed visuals.			
	7. Ports: Two Thunderbolt/USB 4 ports for high-speed data transfer and connectivity., Two USB 3 ports for additional peripheral connections., Gigabit Ethernet for wired network connectivity.			
	8. Wireless: Wi-Fi 6 (802.11ax) for fast wireless networking. Bluetooth 5.0 for connecting wireless accessories.			
	9. Operating System: macOS (latest version) for a secure and seamless user experience.			
	10. Accessories: Magic Mouse included for precise and comfortable navigation.			
	11. Design: Sleek and modern design with a variety of color options.			
2.	Camera Body:	01		

- 1. Camera Type: Mirrorless digital camera.
- 2. Image Sensor: 20.9-megapixel APS-C CMOS sensor.
- 3. Lens Mount: Interchangeable lens mount.
- Image Processor: minimum EXPEED
 image processor for fast and
 efficient image processing
- 5. ISO Range: Wide ISO range for varied lighting conditions. Minimum 100-51,200 (expandable to 204,800)
- 6. Viewfinder: Electronic viewfinder (EVF) with a high-resolution display minimum 2.36 million-dot resolution.
- LCD Screen: Large touchscreen LCD with a high-resolution display. Minimum 3.2-inch tilting touchscreen LCD with a 1.04 milliondot resolution
- 8. Autofocus: An advanced autofocus system for fast and accurate focusing. Minimum 209-point Hybrid AF system for fast and accurate focusing
- 9. Continuous Shooting: High framesper-second (fps) rate for capturing fast action. Mimum upto 11FPS
- 10. Video Recording: 4K UHD video recording at 30fps and Full HD video at 120 or higher frame rates for slow-motion.
- 11. Wireless Connectivity: Built-in Wi-Fi and Bluetooth for wireless connectivity and remote camera control
- 12. Battery Life: Approximate number of shots per charge (CIPA rating).
- 13. Compact and Lightweight: Designed for portability and ease of use.
- 14. Built-in Flash: Features a built-in pop-up flash for additional lighting.
- 15. External Microphone Input: Allows for high-quality audio recording with an external microphone.

Lens:

- 1. Focal Length: A versatile zoom lens suitable for various shooting scenarios.
- 2. Maximum Aperture: Variable aperture for flexibility in different lighting conditions.

	_			I	
	3.	Image Stabilization: Built-in image stabilization for steadier handheld shots.			
	4.	Lens Construction: Multiple lens			
	١٠	elements in multiple groups for			
		sharp and clear image quality.			
	5.	Minimum Focus Distance: Allows			
	0.	for close-up shooting with a short			
		minimum focus distance.			
	6.	Filter Thread: Compatible with			
		screw-on filters for creative effects.			
	7.	Retractable Design: A retractable			
		design for compact storage and			
		portability.			
	8.	Silent Autofocus: Utilizes a quiet			
		and smooth autofocus system.			
	9.	Lens Hood: Includes a lens hood for			
		reducing lens flare and improving			
		image quality.			
		Accessories Included:			
	1.	Memory Card: A high-capacity			
		memory card for ample storage of			
		photos and videos.			
	2.	Camera Bag: Offers protection and			
		storage for the camera and lens.			
	3.	Battery: Provides power for the			
		camera.			
	4.	External Camera Flash: An external			
		flash unit for enhanced lighting			
		control and creative photography.			
3.	Pro	ofessional 360 HD Camcorder:	01		
	1.	Camera Type: Professional HD			
		camcorder.			
	2.	Image Sensor: High-resolution			
		image sensor for capturing detailed			
		video.			
	3.	Recording Format: Supports a			
		range of video recording formats,			
	_	including high-definition formats.			
	4.	Optical Zoom: Optical zoom			
		capability for versatile framing			
	_	options.			
	5.	Image Stabilization: Built-in image			
		stabilization for steady and shake-			
	6	free video.			
	6.	Audio Recording: High-quality audio recording with built-in			
		microphone and external			
		microphone input.			
		ппогорнопо пірас.			

			T	ı	T
	7.	Dual SD Card Slot: Two SD card			
		slots for extended recording			
		capacity and redundancy.			
	8.	Video Outputs: Multiple video			
		output options for monitoring and			
		playback.			
	9.	Wireless Connectivity: Connectivity			
	٦.	options for wireless transmission			
		and remote control.			
	10				
	10.	LED Display: 3.5-Inch or Large			
		and clear LED display for			
		monitoring and menu navigation.			
	11.	Battery: Multiple high-capacity			
		batteries included for extended			
		shooting time.			
	12.	Charger: Included charger for			
		convenient battery recharging.			
	13.	Memory Cards: Two high-capacity			
		SDHC memory cards included for			
		ample storage.			
	14.	Camera Bag: Provides protection			
		and storage for the camcorder and			
		accessories.			
	15.	Professional Features: Includes			
		advanced features for professional			
		videography, such as manual			
	_	controls, focus assist, and more.	0.1		
4.		controls, focus assist, and more. table Universal Teleprompter TP-	01		
4.	Por 150	controls, focus assist, and more. table Universal Teleprompter TP-	01		
4.	150	controls, focus assist, and more. table Universal Teleprompter TP-	01		
4.		controls, focus assist, and more. table Universal Teleprompter TP- Type: Universal teleprompter for	01		
4.	150	controls, focus assist, and more. Table Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech	01		
4.	150 1.	controls, focus assist, and more. Table Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording.	01		
4.	150	Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290	01		
4.	150 1.	Type: Universal Teleprompter Troprofessional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a	01		
4.	1. 2.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design.	01		
4.	150 1.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from	01		
4.	1. 2.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure long-	01		
4.	1. 2. 3.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use.	01		
4.	1. 2.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure long-lasting use. Mounting: Compatible with various	01		
4.	1. 2. 3.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure long-lasting use. Mounting: Compatible with various camera sizes and types, offering	01		
4.	1. 2. 3.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure long-lasting use. Mounting: Compatible with various	01		
4.	1. 2. 3.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure long-lasting use. Mounting: Compatible with various camera sizes and types, offering	01		
4.	1. 2. 3. 4.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options.	01		
4.	1. 2. 3. 4.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features high-	01		
4.	1. 2. 3. 4.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features highquality, beam-splitting glass with	01		
4.	1. 2. 3. 4.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features highquality, beam-splitting glass with anti-reflective coating for clear text	01		
4.	1. 2. 3. 4. 5.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features high-quality, beam-splitting glass with anti-reflective coating for clear text visibility and minimal glare. Adjustable Angle: Adjustable mirror	01		
4.	1. 2. 3. 4. 5.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features highquality, beam-splitting glass with anti-reflective coating for clear text visibility and minimal glare. Adjustable Angle: Adjustable mirror angle for comfortable reading and	01		
4.	1. 2. 3. 4. 5.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features highquality, beam-splitting glass with anti-reflective coating for clear text visibility and minimal glare. Adjustable Angle: Adjustable mirror angle for comfortable reading and effective prompting.	01		
4.	1. 2. 3. 4. 5.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features high-quality, beam-splitting glass with anti-reflective coating for clear text visibility and minimal glare. Adjustable Angle: Adjustable mirror angle for comfortable reading and effective prompting. Text Display: Accommodates a	01		
4.	1. 2. 3. 4. 5.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features high-quality, beam-splitting glass with anti-reflective coating for clear text visibility and minimal glare. Adjustable Angle: Adjustable mirror angle for comfortable reading and effective prompting. Text Display: Accommodates a variety of devices, including	01		
4.	1. 2. 3. 4. 5.	Type: Universal Teleprompter TP- Type: Universal teleprompter for professional video and speech recording. Size: Dimensions of 300 mm x 290 mm x 360 mm, providing a compact and portable design. Construction: Constructed from durable materials to ensure longlasting use. Mounting: Compatible with various camera sizes and types, offering flexible mounting options. Reflective Glass: Features high-quality, beam-splitting glass with anti-reflective coating for clear text visibility and minimal glare. Adjustable Angle: Adjustable mirror angle for comfortable reading and effective prompting. Text Display: Accommodates a	01		

	1			1	1
	8.	Hood: Includes a foldable hood to			
		block extraneous light and enhance			
		text readability.			
	9.	Mounting System: Equipped with a			
		standard camera mount or adapter			
		for easy attachment to a tripod or			
		camera rig.			
	10.	Compatibility: Designed to work			
		with a range of cameras and			
		camcorders, making it suitable for			
		various video production setups.			
	11.	Size of Text Display: Appropriate for			
		displaying scripts or prompts in a			
		clear and easily readable manner.			
	12.	Professional Use: Ideal for			
		professional video recording,			
		interviews, speeches, and content			
		creation.			
	13.	Remote Control: Some models may			
		come with remote control options			
		for adjusting scrolling speed and			
		text display.			
ı	D	C	1.0		
5.	Pro	fessional Head phone	10		
	1.	Driver Size: 40mm dynamic			
		drivers for immersive sound.			
	2.	Frequency Response: 20Hz -			
		20kHz for a wide range of audio			
		frequencies.			
	3.	Impedance: 32 ohms, suitable for			
		a variety of devices.			
	4.	Sensitivity: 96dB SPL/V for clear			
		and dynamic audio.			
	5.	Microphone: Detachable boom			
		microphone for clear voice			
		communication.			
	6.	Frequency Response: 100Hz -			
		10kHz.			
	7.	Design: Lightweight and			
		comfortable over-ear design with			
		memory foam ear cushions.			
	8.	Connectivity: 3.5mm audio jack			
		for universal compatibility with			
		PCs, gaming consoles, and mobile			
		devices.			
	9.	Cable: Durable 1.2m cable with			
		inline controls for volume and			
		microphone muting.			
	10.	Compatibility: Compatible with a			
		wide range of gaming platforms,			
		including PC, Mac, Xbox,			
	i			1	i l
		PlayStation, Nintendo Switch, and			
		mobile devices.			

	 Surround Sound: Immersive sound experience for a more engaging gaming experience. Design Features: Comfortable and ergonomic headband design for long gaming sessions. Additional Features: Voice focus directional flip-up boom microphone for clear in-game communication., Memory foam ear cushions for comfort during extended gaming sessions. 		
6.	Tripod	01	
	Package Dimensions 60 x 20 x 20 cm; 3.2 Kilograms		
	Item model number VCT 988 RM or better		
	Compatible Devices Camera		
	Batteries Included No		
	Batteries Required No		
	Material Aluminium		
	Manufacturer Simpex or any other better manufacturer		
	Item Weight 3 kg 200 g		

- 1. The sealed quotations, complete in all respect, must reach by hand/by post in the Office of the Registrar, CDLU, Sirsa latest by **24.11.2023**.
- 2. "Quotation for purchase of equipments for Media Centre and Media Lab of Department of JMC" must be clearly written on the sealed envelope.
- 3. The Quotation received after due date and time or incomplete shall be rejected out rightly.
- 4. The following charges and terms may be spelt out in your offer clearly:
- (a) F.O.R.
- (b) Rates of GST/VAT/Excise Duty (in percent), if any. Please note that the University does not issue Form 'C' or 'D'.
- (c) Payment terms.
- (d) Delivery period.
- (e) Guarantee/Warranty period.
- (f) After-sales service.
- (g) Installation charge, if any.
- (h) Validity period of the quotation.
- (i) Bank Draft charges, if any.
- (j) Misc. charge such as Packing & Forwarding charges, Insurance charges, etc., if any.

- 5. The packing, forwarding, fright, insurance charges etc. may be quantified in terms of amount. These charges will not be payable against such vague statement as "packing, forwarding, fright, insurance charges etc. extra".
- 6. Charges not mentioned in the quotation shall not be paid.
- 7. FOR shall be CDLU, Sirsa.
- 8. The offer must be valid for a period of atleast three months from the date of opening of quotation.
- 9. Quantity may increase or decrease without any notice.
- 10. If the Supplier or their Principals are on rate contract with GeM, this may be mentioned specifically in the offer and a photocopy of the same, duly attested, may be appended.
- 11. The Security/earnest money equivalent to 2% (two percent) of the total cost of the material i.e. Rs. 8,900/- in the shape of "Deposit at call or Fixed Deposit Receipt" drawn in the favour of the Registrar, Chaudhary Devi Lal University, Sirsa shall accompany the tender/ quotation failing which the quotation/tender will not be considered, except with the approval of Central Purchase Committee (CPC). The security/ earnest money in other shapes viz. Demand Draft/Pay Order/Cheque shall not be accepted.
- 12. The item/good shall be supplied by the supplier within the time limit specified in the supply order. The delivery period can be extended by the Vice-Chancellor, only in exceptional cases on written request of the Supplier giving reason/ explaining circumstances due to which delivery period could not be adhered to. In case, the material is not supplied within the delivery period, the supplier shall be liable to pay the University the compensation amount equivalent to 1% (one percent) of the cost of material per day or such other amount as the Vice-Chancellor may decide till the supply remains incomplete, provided that the total amount of compensation shall not exceed 10% (ten percent) of the total amount of the cost of material to be supplied. Appeal against these orders shall, however, lie with the Vice-Chancellor, CDLU, Sirsa whose decision shall be final.
- 13. TDS/Taxes as applicable will be deducted by the University as per rules/instruction of Govt.
- 14. In case, the supplier/contractor fails to execute the supply order/contract on the rates, and conditions as contained in the supply order within the stipulated period, they shall be liable to such action as blacklisting, debarring from having any business with this University, forfeiture of earnest money/security, besides any other action as may be deemed proper by the University.
- 15. As a general policy, the University tries to make 100% payment within 15 days of the receipt of the material subject to proper installation, wherever applicable and satisfaction of the Inspection Committee. No advance payment against documents negotiated through Bank shall be made.
- 16. The acceptance of the material shall be subject to satisfactory report of this Office's Inspection Committee/Technical Committee/Experts Committee.
- 17. The acceptance of the quotation/tender shall rest with the undersigned who does not bind himself to accept the lowest quotation and reserve the right to reject any or all items of quotation without assigning any reason therefore. the under signed also reserve the right to accept quotation/tender in part i.e. any item or any quantity and to reject it for the rest.
- 18. In case, any other information/clarification is required, you can contact at Telephone No. 01666-239822 on any working day (Monday to Friday) during office hours (9 a.m. to 5 p.m.).
- 19. The dispute, if any, shall be subject to the jurisdiction of Court at Sirsa. Any other jurisdiction mentioned in the quotation or invoices of the manufacturers/distributor/dealers/supplier etc. Shall be invalid and shall have no legal sanctity.

