



CHAUDHARY DEVI LAL UNIVERSITY

BARNALA ROAD, SIRSA - 125055 (HARYANA) INDIA

(Established by State Legislature Act 9 of 2003)

No. CDLU / 2390

Dated..... 14-12-2021

Sub.: Information regarding NAAC Matrix 7.1.5.1. The institutional initiatives for greening the campus are as follows.

The required information is as follows:

1. Restricted entry of automobiles
2. Use of Bicycles/ Battery powered vehicles ✓
3. Pedestrian Friendly pathways ✓
4. Ban on use of Plastic
5. landscaping with trees and plants ✓

Options:

A. Any 4 or All of the above

B. 3 of the above ✓

C. 2 of the above

D. 1 of the above

E. None of the above

[Signature]
14/12/21
EXECUTIVE ENGINEER

[Signature]
REGISTRAR
30/12/21



 **GPS Map**
Camera Lite

G2XV+7P7 Harbal park in CDLU, Chaudhary Devi Lal University, Sirsa, Haryana 125055, India

Latitude
29.5480268°

Longitude
75.04504731°

Local 04:34:49 PM
GMT 11:04:49 AM

Altitude 158.28 meters
Wednesday, 10-11-2021



 GPS Map
Camera Lite

G2WV+9VH, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India

Latitude

29.54579134°

Local 04:16:28 PM

GMT 10:46:28 AM

Longitude

75.04430043°

Altitude 155.11 meters

Wednesday, 10-11-2021



GPS Map
Camera Lite

Tagore Bhawan, CDLU, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India

Latitude
29.545235°

Longitude
75.04403°

Local 04:35:54 PM
GMT 11:05:54 AM

Altitude 166.5 meters
Wednesday, 10-11-2021

PARKING AND ROADS



 GPS Map
Camera Lite

G2WV+9VH, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India

Latitude

29.54612828°

Local 04:14:47 PM

GMT 10:44:47 AM

Longitude

75.04425563°

Altitude 152.92 meters

Wednesday, 10-11-2021



PARKING NEAR ADMIN BLOCK

 **GPS Map**
Camera Lite

G2WV+CJ7, Chaudhary Devi Lal University, Sirsa, Haryana 125055,
India

Latitude

29.54606736°

Longitude

75.04423341°

Local 04:15:26 PM

GMT 10:45:26 AM

Altitude 161.94 meters

Wednesday, 10-11-2021



G2XV+263, Chaudhary Devi Lal University, Sirsa, Haryana 125055,
India

Latitude

29.547348333333336°

Longitude

75.042918333333333°

Local 04:45:43 PM

GMT 11:15:43 AM

Altitude 156.1 meters

Wednesday, 10-11-2021



G2WW+QR8, Chaudhary Devi Lal University, Sirsa, Haryana 125055,
India

Latitude

29.547103333333332°

Local 03:58:47 PM

GMT 10:28:47 AM

Longitude

75.047068333333333°

Altitude 160.6 meters

Wednesday, 10-11-2021



First floor, CV Raman Block Chaudhary Devi Lal University, Chaudhary
Devi Lal University, Sirsa, Haryana 125055, India

Latitude

29.54699833333333°

Local 04:08:08 PM

GMT 10:38:08 AM

Longitude

75.04548833333334°

Altitude 162.4 meters

Wednesday, 10-11-2021



GPS Map

Camera Lite

First floor, CV Raman Block Chaudhary Devi Lal University, Chaudhary
Devi Lal University, Sirsa, Haryana 125055, India

Latitude

29.546988333333335°

Longitude

75.045488333333334°

Local 04:08:15 PM

GMT 10:38:15 AM

Altitude 162.6 meters

Wednesday, 10-11-2021



G2WW+QR8, Chaudhary Devi Lal University, Sirsa, Haryana 125055,
India

Latitude

29.5470300000000003°

Longitude

75.04708333333333°

Local 03:59:00 PM

GMT 10:29:00 AM

Altitude 160.9 meters

Wednesday, 10-11-2021

12 of 30



GPS Map
Camera Lite

G2XV+H2W, Chaudhary Devi Lal University, Sirsa, Haryana
125055, India

Latitude
29.547935°

Longitude
75.041725°

Local 04:49:21 PM
GMT 11:19:21 AM

Altitude 154.1 meters
Wednesday, 10-11-2021



G2WV+CJ7, Chaudhary Devi Lal University, Sirsa, Haryana 125055,
India

Latitude

29.54590166666667°

Longitude

75.04368°

Local 04:37:32 PM

GMT 11:07:32 AM

Altitude 153.2 meters

Wednesday, 10-11-2021



G2WV+CJ7, Chaudhary Devi Lal University, Sirsa, Haryana 125055,
India

Latitude

29.545901666666667°

Longitude

75.043651666666666°

Local 04:37:16 PM

GMT 11:07:16 AM

Altitude 153.2 meters

Wednesday, 10-11-2021

Land Scaping work Administrative Block



GPS Map
Camera Lite

G2WV+9VH, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India

Latitude
29.5461492°

Longitude
75.0446226°

Local 04:08:57 PM
GMT 10:38:57 AM

Altitude 174.49 meters
Wednesday, 10-11-2021



G2WV+CJ7, Chaudhary Devi Lal University, Sirsa, Haryana 125055,
India

Latitude

29.545876666666665°

Longitude

75.043535°

Local 04:39:39 PM

GMT 11:09:39 AM

Altitude 152.9 meters

Wednesday, 10-11-2021



G2XV+7P7 Harbal park in CDLU, Chaudhary Devi Lal University, Sirsa, Haryana 125055, India

Latitude

29.54806226°

Local 04:25:09 PM

GMT 10:55:09 AM

Longitude

75.04481216°

Altitude 153.01 meters

Wednesday, 10-11-2021

PLANTS AT VARIOUS LOCATIONS



 **GPS Map**
Camera Lite

G2WV+9VH, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India

Latitude
29.54612947°

Longitude
75.04416341°

Local 04:15:45 PM
GMT 10:45:45 AM

Altitude 160.92 meters
Wednesday, 10-11-2021



 **GPS Map
Camera Lite**

**G2WV+9VH, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India**

**Latitude
29.54634574°**

**Longitude
75.04411827°**

**Local 04:13:48 PM
GMT 10:43:48 AM**

**Altitude 167.13 meters
Wednesday, 10-11-2021**



PLANTS AND TREES

GPS Map
Camera Lite

G2WV+9VH, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India

Latitude

29.54616379°

Local 04:09:03 PM


GMT 10:39:03 AM

Longitude

75.0446172°

Altitude 171.69 meters

Wednesday, 10-11-2021



 **GPS Map**
Camera Lite

22/95, Prem Nagar, Sirsa, Haryana 125055, India

Latitude

29.55137666°

Longitude

75.03304748°

Local 04:52:21 PM

GMT 11:22:21 AM

Altitude 152.12 meters

Wednesday, 10-11-2021



PLANTS AND TREES

GPS Map
Camera Lite

G2WV+9VH, Chaudhary Devi Lal University, Sirsa,
Haryana 125055, India

Latitude
29.54617927°

Longitude
75.0445869°

Local 04:08:49 PM
GMT 10:38:49 AM

Altitude 173.73 meters
Wednesday, 10-11-2021



Sirsa, Haryana, India


G2WV+9VH, Chaudhary Devi Lal University, Sirsa, Haryana

125055, India

Lat 29.546259°

Long 75.044065°

10/03/22 11:43 AM



Sirsa, Haryana, India

G2WV+9VH, Chaudhary Devi Lal University, Sirsa, Haryana

125055, India

Lat 29.546123°

Long 75.0444°


10/03/22 11:42 AM

CONSTRUCTION BRANCH, CDLU, SIRSA

Sr. No.75, Metric 7.1.5 Green campus initiatives include (4) 7.1.5.1. The institutional initiatives for greening the campus Sr. No. 5

Detail of Landscaping with Trees and Plants at CDLU, Sirsa.

Sr. No.	Name of Building	Plants/Trees in Nos.	Area of Lawn in Sqm.
1	Administrative Block	1167	19860
2	Near Ch. Devi Lal Old Statue	248	1488.
3	E Type House	372	360
4	E -II Type House	197	60
5	E to E - II Type House	174	-
6	F Type House	624	200
7	Boys Hostel No. - 1	302	1000.
8	Boys Hostel No. - 2	97	-
9	Play Ground	372	32000
10	D & H Type House	250	-
11	Central Verse	315	-
12	Around Transport Office	520	30
13	C Type House	664	172
14	Vivekananda Library	615	4474
15	Girls Hostel	676	1881
16	By Pass Gate	503	-
17	Teaching Block No. 1 & 2	770	8490
18	Teaching Block No. 3	191	690
19	Teaching Block No. 4	475	-
20	Construction Branch to Faculty House	1760	8490
21	Vice Chancellor Residence	568	9465
22	Multi Purpose Hall	294	6155
23	Children Park	60	6120
24	Herbal Park	587	13000
25	Water Treatment Plant	120	-
26	Sewage Treatment Plant	3070	-
	Total	14991	113935


 Executive Engineer
 Construction Branch
 CDLU, Sirsa-125055

4th & Final Bill

Name of Work :- Construction of Footpath Around Circular Road at CDLU, Sirsa.

Name of Agency :- M/s. Jay Amhey Construction Co., Sirsa.

Sanction No. - EEK/9/461-64, Dated 26.02.2019

Date of Start :- 16.03.2019

Date of Comp:- 14.07.2019

Date of Billing:- 14.08.2019

Allotment Amount:- Rs.34,29,137/-

Budget Head:- "Construction of Footpath Around Roads".

Bill prepared by Sh. Rajat Kumar J.E. (Civil) vide MB No. 475, Page No. 91 to 96

Sr.No.	HSR No.	Description	Qty	Unit	Rate (P.R)	CP	Amount
1	6.6	Earth work in excavation in foundations, trenches, etc. in all kinds of soils, not exceeding 2 metres depth including dressing of bottom and sides of trenches, stacking the excavated soil, clear from the edge of excavation and subsequent filling around masonry, in 15 cm layers with compaction, including disposal of all surplus soil, as directed within a lead of 30 metres.	251.066	Cum	1108.10	425%	14605.82
2	10.28	Cement concrete 1 : 8 : 16 with stone aggregate 40 mm Nominal sie in foundation and plinth.	405.883	Cum	178.65	450%	71134.39
3	11.22	First class brick work laid in cement, stone dust (from crusher) mortar 1:6 in foundation and plinth.	224.079	Sqm.	113.55	600%	648675.69
4	NS	Extra work with Tibba sand laying in 15 cm layer in filling under floors including compacting, ramming and watering complete with all lead and lift.	439.094	Cum	166.00		72889.60
5	14.45	Precast chequered tiles of 20 mm thickness In ordinary grey cement without chips laid on 20 mm thick bed of cement course sand mortar 1:3 with neat cement slurry between joints and over the base in floors, treads of steps and landings.	3916.78	Sqm.	101.35	400%	1984828.26
6	15.7	12 mm thick cement plaster 1:6	970.70	Sqm.	10.65	600%	62027.73
7	13.89	Providing & fixing PVC rain water pipe 6 Kg pressure of ISI mark in cement mortar during masonry work.					

Executive Engineer
Construction Branch
CDLU, Sirsa-125055

(b)	150 mm dia PVC pipe 6 Kg pressure.	131.60	Mtr.	336.65	20%	53163.76
				Total		3547530.65
D/d 3.7% below as quoted rate						-131258.63
				Total Work Done		3416272.02
				Say		3416272.00
D/d already paid 2nd R. Bill vide MB No. 475 Page. 80						-2555542.00
				Work Done This Bill		860730.00
Deduction 5% Security on Agreement Amount Rs.3429127						-171457
Already D/d Security 1st R. Bill Vide MB 475 Page 61						-37921
Already D/d Security 2nd R. Bill Vide MB 475 Page 70						-42743
Already D/d Security 3rd R. Bill Vide MB 475 Page 81						-72669
Not to be D/d Security						-18124
						-18124.00
Deduction 2% Income tax on Rs.				860730		-17215.00
Deduction 1% CGST on Rs.				860730		-8607.00
Deduction 1% SGST on Rs.				860730		-8607.00
Deduction 0.01% Labour Cess on Rs.				860730		-86.00
Paid Vide C. No. 42915 Dated 30/8/19 for Rs. 295266/-				Deduction 1% Labour Cess on Rs.		-8521.00
				Deduction 0.50% Water Charge tax on Rs.		-4304.00
				Net Pay		795266.00

- i Certified that the work has been Completed as per PWD specification.
- ii Up to date recovery against this work has been made.
- iii OPC Cement has been used at Site.

Serial for Rs. 295266/- only

R-66
R-6
L-33
T-49/16
LC-16/4
R-135/4

Executive Engineer
Ch. Devi Lal University
SIRSA (Haryana)

Sub-Division Sirsa (Civil) Civil
Chaudhary Devi Lal University
Sirsa (Haryana)

Executive Engineer
Construction Branch
CDLU, Sirsa-125055

795266 =
Pre-audited & Passed for Rs. Seven Lacs ninety five thousand two hundred six only
Auditor
27/11/19

CHAUDHARY DEVI LAL UNIVERSITY SIRSA
(Established by the State Legislature Act 9 of 2003)

No.EE/17/

51

Dated:

09-2-17

Letter of Acceptance

To

Sh. Parmod Chand, Contractor,
H. No. 11, Sector-20, HUDA, Sirsa.

Subject:

Providing and Erecting of Car Shed in parking near main gate.

Apprx. Cost: Rs. 14,64,436/-


Dear Sir,

This is to notify that your Bid dated 06.10.2016 and subsequent undertaking received vide No. EE/8063 dated 09.02.2017 to extend the validity of tender upto 28.02.2017 for execution of the work "Providing and Erecting of Car Shed in parking near main gate" amounting to Rs. 14,64,436/- (Rs. Fourteen lac sixty four thousand four hundred thirty six only). in accordance with the Instructions to Bidders laid down in the tender document is hereby accepted by the University on the following rates, terms and conditions: -

Sr. No.	HSR Ref.	Description	Rate
1		All DNIT items i.e. HSR items (HSR+CP) & NS items.	7.99% below

CONDITIONS

- 6% security will be deducted from running bills subject to a maximum 5% of the agreement / enhanced amount. The same will be refunded as under:
One-half of the security deposit will be refunded on completion of the work as certified by the Engineer-in-Charge provided the final bill is for a plus amount and balance 50% security shall be refunded after completion of defects liability period of 3 years from the date of completion of work which shall be considered as the date certified by the Engineer-In-Charge.
- The time limit for completion of this work shall be 4 months from the date of issue of letter to proceed with work;
- Work will be done as per DNIT.
- Work can be increased or decreased.
- In case water of CDLU, Sirsa is used, charges for the same shall be deducted @ 0.50% of the total cost of work done on through rate & 1.75% of the total cost of work done on labour rate.
- Deduction of all taxes and surcharge will be made as per Govt./CDLU rules.


 Engineer
 Construction Branch
 CDLU, Sirsa-125055


- time.
7. Firm will be responsible for any damage done by its labour directly or indirectly during the execution of this work.
 8. A performance guarantee in the shape of bank guarantee @ 5% of the cost of allotted work i.e. Rs. 73,300/- be deposited in the office for a period upto defect liability period plus 60 days.
 9. Cess @ 1% of the amount of work done shall be deducted from your running bills as well as final bills.

You are hereby requested to furnish Performance Security, in the form detailed in Para 34.1 of ITB for an amount equivalent to Rs. 73,300/- within 21 days of the receipt of this letter of acceptance valid up to 60 days from the date of expiry of defects Liability Period i.e. up to 31.08.2020 and sign the contract, failing which action as stated in Para 34.3 of ITB will be taken.


O/C Executive Engineer

EndsLNo.EE/17/ 325-28 Dated: 9-2-17

Copy of the above is forwarded to the following for information and necessary action :-

1. SDE (Civil) (DLU, Sirsa. 
2. Head Draftsman, Construction Branch, CDLU, Sirsa.
3. Divisional Accountant, Construction Branch, CDLU, Sirsa.
4. Agreement file.


O/C Executive Engineer


Executive Engineer
Construction Branch
CDLU, Sirsa-125055

2nd & Final Bill

28 of 30

Name of Work: Providing and Erecting of Car Shed in near parking main gate (Southern side) at CDLU, Sirsa

Name of Agency: Sh. Parmod Chand, Contractor, Sirsa.

EE Sanction No.: EE-17/607-10, Dated 16.03.2017

Date of Start: 16.03.2017

Date of Comp: 14.07.2017

Date of Billing: 10.08.2017

Bill prepared by Sh. Rajat Kumar J.E. (Civil) vide MB No. 67 Page No. 191 to 197

USD (131)

Sr. No.	HSR No.	Description	Qty	Unit	Rate (F R)	CP	Amount
1	8.2 (b)	Dismantling Stone Pitching or Soling stone pitching laid dry, but grouted with natural silt and clay	48.50	Cum	16.60	55%	917.10
2	6.6	Earth work in excavation in foundations, trenches, etc. in all kinds of soils, not exceeding 2 metres depth including dressing of bottom and sides of trenches, stacking the excavated soil, clear from the edge of excavation and subsequent filling around masonry in 15 cm layers with compaction	37.40	100 Cum	108.10	42%	2175.78
3	10.59	Cement concrete 1 : 4 : 8 with stone aggregate 40 mm Nominal size in foundation and plinth.	5.10	Cum	203.7	45%	11306.82
4	10.90-10.95 a	Cement concrete 1:1.5:3 with stone aggregate 20 mm nominal size for reinforced concrete work in footings, strips, foundations, beams, rafts, pedestals and approach slabs of bridges etc., excluding steel reinforcement but + extra over Item Nos. 10.79 to 10.94, if 1:1.5:3 mix is used, instead	36.10	Cum	72.1	45%	15307.71
	12.14	Supplying, hoisting and placing in position tubular trusses including runners, purlins, consisting of steel tubes conforming to I.S. specifications of tested quality duly welded with fillet welds 6 mm thick, through-out including wind bracing.	111.653	Qt.	1283.15	30%	85405.28


 Executive Engineer
 Construction Branch
 CDLU, Sirsa-125055

6	NS	Providing & Fixing Precoated galvanized manglorian tile profile sheet (1000mm covered width) in 0.5mm thick having tile pitch of 250mm C.C. The sheet should be polyster top coat of 15-18 micron over 5-7 micron primer and Alkyd backer of 8-10 micron. Zinc coating shall be 120gsm as per IS-277 material will be supplied with guard film of colour cottage green, brick red, Seco red.	857.560	Sqm.	542.00		
7	NS	Providing & Fixing 300mm wide ridge made of plain sheet of Precoated galvanized manglorian tile profile sheet (1000mm covered width) in 0.5mm thick having tile pitch of 250mm C.C. The sheet should be polyster top coat of 15-18 micron over 5-7 micron primer and Alkyd backer of 8-10 micron. Zinc coating shall be 120gsm as per IS-277 material will be supplied with guard film of colour cottage green, brick red, Seco red.	136.40	Mtr.	181.00		24688.40
8	NS	Providing and fixing flashing made of plain sheet of Precoated galvanized manglorian tile profile sheet (1000mm covered width) in 0.5mm thick having tile pitch of 250mm C.C. The sheet should be polyster top coat of 15-18 micron over 5-7 micron primer and Alkyd backer of 8-10 micron. Zinc coating shall be 120gsm as per IS-277 material will be supplied with guard film of colour cottage green, brick red, Seco red.	248.40	Mtr.	181.00		44960.40
9	16.3	Painting two coats excluding priming coat with synthetic enamel paint in all shades on new wood work or metallic or plastered or concrete surfaces to give an even shade.	498.10	Sqm.	9.40	230%	15451.86
Total							1577580.21
D/d 7.99% below on (HSR+CP) on total work done							-126048.65
Total Work Done							1451531.56
Sny							1451531.00
D/d 1st R. Bill Vide MB 67 Page No. 166							-190338.00

Executive Engineer
Construction Branch
CDLU, Sirsa-125055

		Work Done This Bill	161500
			252000.00
	D/d Secured advance paid vide MB No. 67 Page 167		1009193.00
		Net Work Done	
	Agreement Amt.	1464436.00	
	Deduction 5% Security on agreement amt.	73222.00	
	Already D/d Security 1st R. Bill Vide MB 67 Page 167	-26540.00	
	Now to be D/d Security	46682.00	-46682.00
	Deduction 2% Income tax on Rs.	1009193.00	-20184.00
	Deduction 5% sale tax on Rs.	1009193.00	-50460.00
	Deduction 0.50% Water Charge on Rs.	1009193.00	-5046.00
	Deduction 1% Labour Cess on Rs.	1009193.00	-10092.00
	D/d Electrical Charge	Paid Vide Ch. No. 959513	-6028.00
	01.04.17 to 01.05.17 = 2232	Dated 08/11/17	
	01.05.17 to 01.06.17 = 1256	for Rs. 9,00,977/-	
	01.06.17 to 01.07.17 = 1363		
	01.07.17 to 01.08.17 = 1177		
	Total = 6028		
		Net Pay	870701.00

17. CGST
15. SGST

Bill admitted with condition that obtaining of Registration, then depositing up to date recovery against this work has been made. OPC Cement has been used at site. the same into cast, JAST before releasing the payments

Passed for Rs. 900977/- only

Executive Engineer
Ch. Devi Lal University
SIRSA (Haryana)

08/11/17 Sub-Divisional Engineer (Civil)
Chauanary Devi Lal University
Sirsa (Haryana)

- 1R-55
- R-145
- L-171
- W/C-162
- CR-164/69

Passed for Rs. 900977/- only

Executive Engineer
Ch. Devi Lal University
SIRSA (Haryana)

Produced & Passed for Rs. 900977/-
(Rs. Ninety lac nine hundred seventy seven and 00 paise only)

Auditor
08/11/17

R.S.A.

Executive Engineer
Construction Branch
CDLU, Sirsa-125055