CHAUDHARY DEVI LAL UNIVERSITY, SIRSA (Established by the State Legislature Act, 9 of 2003)
QUOTATION NOTICE

Sealed quotations are invited from the manufactures/exclusive distributors/ authorized dealers/ suppliers/stationers

be constructed from natural frame. The thickness of the The sofa shall have spring e shall be padded with high madded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe folloor. The seat size shall be 450±10mm, overall width and the shall be padded with high resilience tructure. The thickness of abbing. The sofa shall have frame shall be padded with okg/m³ in seat and 32Kg/m³ and with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width height = 820±10mm, overall width = height = 820±10mm
be constructed from natural frame. The thickness of the The sofa shall have spring e shall be padded with high madded with high resilience tructure shall be upholstered consist of SS 304 grade legs at thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width the short frame and sale padded with light in seat and 32Kg/m ³ badded with high resilience tructure shall be upholstered consist of SS 304 grade legs at thick. There shall be padded with lokg/m ³ in seat and 32Kg/m ³ badded with high resilience tructure shall be upholstered consist of SS 304 grade legs at thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
frame. The thickness of the . The sofa shall have spring e shall be padded with high /m³ in seat and 32Kg/m³ in added with high resilience tructure shall be upholstered consist of SS 304 grade legs a thick. There shall be shoe floor. The seat size shall be = 450±10mm, overall width ll height = 820±10mm O1 ted from natural hard wood aner frame. The thickness of obbing. The sofa shall have frame shall be padded with lokg/m³ in seat and 32Kg/m³ badded with high resilience tructure shall be upholstered consist of SS 304 grade legs a thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
The sofa shall have spring e shall be padded with high madded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width the shoe floor in the sofa shall have frame shall be padded with lokg/m³ in seat and 32Kg/m³ badded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width legs in thick in the shall width legs in thick in the shall be shoe floor. The seat size shall be 450±10mm, overall width legs in the shall with
e shall be padded with high /m³ in seat and 32Kg/m³ in added with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width all height = 820±10mm O1 ted from natural hard wood oner frame. The thickness of bibling. The sofa shall have frame shall be padded with 0kg/m³ in seat and 32Kg/m³ badded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
/m³ in seat and 32Kg/m³ in added with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width all height = 820±10mm O1 ted from natural hard wood oner frame. The thickness of abbing. The sofa shall have frame shall be padded with the okg/m³ in seat and 32Kg/m³ added with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
added with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width all height = 820±10mm O1 ted from natural hard wood oner frame. The thickness of abbing. The sofa shall have frame shall be padded with 0kg/m³ in seat and 32Kg/m³ andded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width all height = 820±10mm O1 ted from natural hard wood the frame. The thickness of abbing. The sofa shall have frame shall be padded with the okg/m³ in seat and 32Kg/m³ beadded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width all height = 820±10mm O1 ted from natural hard wood inner frame. The thickness of abbing. The sofa shall have frame shall be padded with 0kg/m^3 in seat and 32Kg/m^3 bradded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
n thick. There shall be shoe floor. The seat size shall be a 450±10mm, overall width a ll height = 820±10mm O1 ted from natural hard wood aner frame. The thickness of abbing. The sofa shall have a frame shall be padded with a loke/m³ in seat and 32Kg/m³ and added with high resilience tructure shall be upholstered consist of SS 304 grade legs and thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
floor. The seat size shall be 450±10mm, overall width ll height = 820±10mm O1 ted from natural hard wood ener frame. The thickness of bibing. The sofa shall have frame shall be padded with 0kg/m³ in seat and 32Kg/m³ badded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
ted from natural hard wood aner frame. The thickness of abbing. The sofa shall have frame shall be padded with 0kg/m^3 in seat and 32Kg/m^3 added with high resilience tructure shall be upholstered consist of SS 304 grade legs at thick. There shall be shoe floor. The seat size shall be $450\pm10 \text{mm}$, overall width =
Il height = 820±10mm Oted from natural hard wood the frame. The thickness of abbing. The sofa shall have frame shall be padded with 0kg/m³ in seat and 32Kg/m³ thadded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
ted from natural hard wood oner frame. The thickness of obbing. The sofa shall have frame shall be padded with 0kg/m^3 in seat and 32Kg/m^3 badded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be $450\pm10 \text{mm}$, overall width =
ted from natural hard wood oner frame. The thickness of libbing. The sofa shall have frame shall be padded with 0kg/m^3 in seat and 32Kg/m^3 badded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be $450\pm10 \text{mm}$, overall width =
the sofa shall have frame shall be padded with 0kg/m^3 in seat and 32Kg/m^3 bradded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be $450\pm10 \text{mm}$, overall width =
bbing. The sofa shall have frame shall be padded with 0kg/m^3 in seat and 32Kg/m^3 badded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be $450\pm10 \text{mm}$, overall width =
frame shall be padded with 0kg/m^3 in seat and 32Kg/m^3 badded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be $450\pm10 \text{mm}$, overall width =
padded with high resilience tructure shall be upholstered consist of SS 304 grade legs in thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
tructure shall be upholstered consist of SS 304 grade legs a thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
consist of SS 304 grade legs a thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
n thick. There shall be shoe floor. The seat size shall be 450±10mm, overall width =
floor. The seat size shall be 450±10mm, overall width =
450±10mm, overall width =
01
m X 600 mm X 450mm. The
lass. The profile shall be in
om storage shelf shall be
mm made of 8mm thick
all be supported on vacuum
nder structure shall have SS
CP shoe shall be provided to
01
ld made of teak wood.
01
traight position. The overall
95mm (D) x 1980mm (H)
os. shelves i.e. 5 loading
and all other components
CRCA sheet of grade 'D'
in shelf & door. The steel
hanism which is assembled
led construction which have
Uniformly distributed load The complete steel structure
ne complete steet structure i
shing with epoxy polyester

- 1. The sealed quotations, complete in all respect, must be reach by post or by hand in the Office of Registrar, CDLU, Sirsa latest by 22.03.2022.
- 2. "Quotation for Purchase of furniture items for Department of FST, CDLU, Sirsa" must be clearly written on the password protected email.
- 3. The Quotation received after due date and time or incomplete shall be rejected outrightly.
- 4. The following charges and terms may be spelt out in your offer clearly:
 - (a) F.O.R.
 - (b) Rates of VAT/Excise Duty (in percent), if any. Please note that the University does ont issue Form 'C' or 'D'.
 - (c) Payment terms.
 - (d) Delivery period.
 - (e) Guarantee/Warranty period.
 - (f) After-sales service.
 - (g) Installation charge, if any.
 - (h) Validity period of the quotation.
 - (i) Bank Draft charges, if any.
 - (j) Misc. charge such as Packing & Forwarding charges, Insurance charges, etc., if any.
- 5. The packing, forwarding, fright, insurance charges etc. may be quantified in terms of amount. These charges will not be payable against such vague statement as "packing, forwarding, fright, insurance charges etc. extra".
- 6. Charges not mentioned in the quotation shall not be paid.
- 7. FOR shall be CDLU, Sirsa.
- 8. The offer must be valid for a period of atleast three months from the date of opening of quotation.
- 9. Quantity may increase or decrease without any notice.
- 10. If the Supplier or their Principals are on rate contract with GeM, this may be mentioned specifically in the offer and a photocopy of the same, duly attested, may be appended.
- 11. The University is situated within the Municipal limits, as such, Octroi, of any, shall be payable. In case, the material is supplied through a Transport Company by road, the Transport Company's charges, labour charges and octroi charges shall be borne by the supplier. It may be mentioned specifically as to whether the material will be sent by rail or by road through a Transport Company.
- 12. The item/good shall be supplied by the supplier within the time limit specified in the supply order. The delivery period can be extended by the Vice-Chancellor, only in exceptional cases on written request of the Supplier giving reason/ explaining circumstances due to which delivery period could not be adhered to. In case, the material is not supplied within the delivery period, the supplier shall be liable to pay the University the compensation amount equivalent to 1% (one percent) of the cost of material per day or such other amount as the Vice-Chancellor may decide till the supply remains incomplete, provided that the total amount of compensation shall not exceed 10% (ten percent) of the total amount of the cost of material to be supplied. Appeal against these orders shall, however, lie with the Vice-Chancellor, CDLU, Sirsa whose decision shall be final.
- 13. TDS/Taxes as applicable will be deducted by the University as per rules/instruction of Govt.
- 14. In case, the supplier/contractor fails to execute the supply order/contract on the rates, and conditions as contained in the supply order within the stipulated period, they shall be liable to such action as blacklisting, debarring from having any business with this University, forfeiture of earnest money/security, besides any other action as may be deemed proper by the University.
- 15. As a general policy, the University tries to make 100% payment within 15 days of the receipt of the material subject to proper installation, wherever applicable and satisfaction of the Inspection Committee. No advance payment against documents negotiated through Bank shall be made.
- 16. The acceptance of the material shall be subject to satisfactory report of this Office's Inspection Committee/Technical Committee/Experts Committee.
- 17. The acceptance of the quotation/tender shall rest with the undersigned who does not bind himself to accept the lowest quotation and reserve the right to reject any or all items of quotation without assigning any reason therefore, the under signed also reserve the right to accept quotation/tender in part i.e. any item or any quantity and to reject it for the rest.

- 18. In case, any other information/clarification is required, you can contact at Telephone No. 01666-239822 on any working day (Monday to Friday) during office hours (9 a.m. to 5 p.m.).
- 19. The dispute, if any, shall be subject to the jurisdiction of Court at Sirsa. Any other jurisdiction mentioned in the quotation or invoices of the manufacturers/distributor/dealers/supplier etc. shall be invalid and shall have no legal sanctity.
- 20. Terms and conditions printed on Quotation of the firm, if any; shall not be binding on the University, except those mentioned specifically on the supply order, and your acceptance of the order shall be construed as your agreement to all the terms and conditions contained in the order.

-sd-Assistant Registrar (Gen.)